

RM-210F

REMOTE MICROPHONE EXTENSION



The RM-210F is an expansion unit dedicated for the RM-300X Desk top remote microphone. The number of zone selection keys and indicators of the RM-300X can be increased in 10 units per RM-210F.


Key features

- 10 additional keys
- Up to 7 units can be used with each RM-300X Remote Microphone


Specifications

| | |
|-----------------------|---|
| Power Source | Supplied from the optional RM-300X |
| AC Power Consumption | 2.4 W (including power supply loss of the Emergency power panel) 0.4 W (standby, including power supply loss of the Emergency power panel) |
| Operation | Function key ... 10 |
| Current Consumption | 80 mA or less (increase in power input at the optional RM-300X) |
| Indicator | Status indicator ... 10, Selection indicator ... 10 |
| Operating Temperature | 0 to 40 °C (32 to 104 °F) |
| Operating Humidity | 35 to 80% RH (no condensation) |
| Finish | ABS resin, black, semi-gloss |
| Dimensions | 110 (w) x 76.5 (h) x 215 (d) mm (4.33" x 3.01" x 8.46") |
| Weight | 350 g (0.77 lb) |


Dimensions



Rear View



Top View



Side View

UNIT:mm

SCALE:1/3

A&E specifications

UNDEFINED TEXT